Roll No.

Total No. of Questions: 09]

[Total No. of Pages: 03

B. Tech. (Sem. - 1st/2nd)

ENGINEERING PHYSICS

SUBJECT CODE: PH - 101 (2k4 & Onwards)

<u>Paper ID</u>: [A0113]

[Note: Please fill subject code and paper ID on OMR]

Time: 03 Hours

Maximum Marks: 60

Instruction to Candidates:

- 1) Section A is Compulsory.
- 2) Attempt any Five questions from Section B & C.
- 3) Selecting at least Two questions from Section B & C.

Section - A

Q1)

[Marks: 2 Each]

- a) What is the differential form of Gauss's law?
- b) What do you mean by ferromagnetic domain?
- c) What is the fundamental principle of a hologram?
- d) What do you understand by Single mode and Multimode fibre?
- e) A stationary body explodes into two fragment each of rest mass 1 Kg that move apart at speeds of 0.6c relative to the original body. Find the mass of the original body.
- f) Two photons approach each other, what is their relative velocity.
- g) An X-ray tube is operated at 25 kV. Find the minimum wavelength of X-rays emitted from it.
- h) What is de-Broglie hypothesis?
- i) What is Compton effect?
- j) What is Meissner effect?

P.T.O.

J-762

Section - B

[Marks: 8 Each]

- Q2) (a) Write down Maxwell's equations and explain their physical significance.
 - (b) Show that the velocity of plane electromagnetic wave in free space is given by $c = \frac{1}{\sqrt{\mu_0 \, \varepsilon_0}}$.
- Q3) (a) What are ferrities? How are they superior to ferromagnetic materials?
 - (b) Write a short note on magnetostriction.
 - (c) Define magnetic susceptibility & relative magnetic permeability and establish the relationship between them.
- Q4) (a) Discuss with suitable diagrams the principle, construction and working of Helium-Neon Laser. Explain the role of Helium atoms in this laser. How is it superior to a Ruby-laser?
 - (b) What are the differences between the terms spontaneous and stimulated emission?
- Q5) (a) Explain the difference between a step-index fibre and graded index fibre.
 - (b) What is meant by acceptance angle for an optical fibre? Show how it is related to numerical aperture.

Section - C

[Marks: 8 Each]

- Q6) (a) What was the objective of conducting the Michelson-Morley experiment? Describe the experiment. How is the negative result of the experiment interpreted?
 - (b) Show that the rest mass of a particle is given by $m_0 = \frac{p^2c^2 T^2}{2Tc^2}$ where p and T denote the momentum and kinetic energy of the particle.

J-762

2

a2zpapers.com

- Q7) (a) What is Moseley's law? How can it be explained on the basis of Bohr's theory? What is its importance?
 - (b) How will it affect the cut off wavelength of X-rays if the separation between the cathode and target is doubled?
- Q8) (a) What is Born's probability interpretation of wave-function?
 - (b) What is the difference between phase and group velocities? Show that the de Broglie group velocity associated with the wave packet is equal to the velocity of the particle.
- Q9) (a) Explain the deference between the Type I and Type II superconductors.
 - (b) Give the salient features of BCS theory of superconductors.
 - (c) Superconductors are a perfect diamagnet. Explain.



J-762